



<https://uni-luce.com>  
+39 339 505 5880  
info@uni-luce.com

Via Monselice, 26, 20832 Desio  
MB, Italy

## FEBA 20 L POLE



Available colors:	<input type="radio"/> 7790-B20-500
	<input checked="" type="radio"/> 7790-B20-500
	<input type="radio"/> 7790-DGR20-500
	<input type="radio"/> 7790-BN20-500
Beam angle:	10°
LED Color:	2700K 3000K 4000K 6000K
System Power:	COB 1x20W
CRI:	90
Lumen output:	2122lm
Material:	aluminium, glass
Location:	Exterior
Fixation:	Garden spot
Installation:	Exterior
Product dimension:	D105xL142xH500mm D105xL142xH750mm D105xL142xH1000mm
Input:	220-240V 50/60HZ
IP:	65
Class:	III
DIM Option:	DALI RGB DMX PWM RGBW
IK:	08





<https://uni-luce.com>

+39 339 505 5880

[info@uni-luce.com](mailto:info@uni-luce.com)

Via Monselice, 26, 20832 Desio

MB, Italy

FEBA is ideal for lighting walkways, for accentuating trees or sculptures, or for highlighting a façade or garden feature. It combines a compact cylindrical design with great agility, making FEBA a highly flexible solution with only a subtle presence. This splendid floodlight come in 3 sizes for choice. FEBA comes on a pin as standard or a pole with 500, 750 or 1000mm height. Optical accessories, lamp shade or hood, can be ordered as additional element for better light effect.