



<https://uni-luce.com>  
+39 339 505 5880  
info@uni-luce.com

Via Monselice, 26, 20832 Desio  
MB, Italy

## FILA 2 S



Available colors:	● 8077-B-BR2-600
	○ 8077-B-BR2-600
	● 8077-DGR-BR2-600
	● 8077-GR-BR2-600
Beam angle:	7° 11° 20° 33° 7° 11° 20° 33° 43° 7° 11° 20° 33° 43°
LED Color:	2700K 3000K 4000K 6000K
System	1x2.1W
Power:	
CRI:	90
Lumen output:	185lm
Material:	aluminium, brass
Location:	Exterior lamps
Fixation:	Exterior
Installation:	Floodlight
Product dimension:	diam35xL175xH600mm diam35xL175xH900mm diam35xL175xH1200mm
Input:	220-240V 50/60HZ
IP:	66
Class:	III
DIM Option:	DALI RGB DMX PWM RGBW
IK:	08





<https://uni-luce.com>

+39 339 505 5880

[info@uni-luce.com](mailto:info@uni-luce.com)

Via Monselice, 26, 20832 Desio

MB, Italy

FILA, subtle, elegant and special: these are the keywords that describe the FILA perfectly. FILA with its slim long headed shape, excels in light output and quality, ideal for walkway lighting or other landscape applications. FILA is easy and flexible to use thanks to the adjustable head, designed to provide optimal cooling and eliminate glare. Brushed brass elements enriches the design effect. The FILA collection comes in 2 sizes with 2W and 6W for option. Different installation variants are available for choice.