



<https://uni-luce.com>  
+39 339 505 5880  
info@uni-luce.com

Via Monselice, 26, 20832 Desio  
MB, Italy

## MARS FL M 19



Available colors:


- 1561-B19
- 1561-W19
- 1561-GR19
- 1561-DGR19
- 1561-DGR19
- 1561-GR19

Beam angle:	6° 14° 27° 36°
LED Color:	3000K 4000K 6000K 5000K
System Power:	19W
CRI:	90
Lumen output:	1800lm
Material:	aluminium, glass, PC
Location:	Exterior
Fixation:	Garden spot
Product dimension:	D130 x H150mm
Input:	200-240V 50\60 Hz
IP:	65
Class:	III
Structure:	Rotation: 30°, Spot Adjust: 0~90°
IK:	08

UNI  
LUCE



UNI  
LUCE





<https://uni-luce.com>

+39 339 505 5880

[info@uni-luce.com](mailto:info@uni-luce.com)

Via Monselice, 26, 20832 Desio

MB, Italy

MARS, the luminaire head is to be installed on a pin, on a strap or on a simplified bracket. In this way, MARS can easily be transformed to install in between the green, around a tree, a pole or any other surface. To facilitate the installation of multiple MARS luminaires, a degree scale is integrated on the hinge, perfect for precise aiming and a proper repetitive light effect. MARS is presented in RGBW or mono color light.