



<https://uni-luce.com>
+39 339 505 5880
info@uni-luce.com

Via Monselice, 26, 20832 Desio
MB, Italy

FEBA 5 S POLE



Available colors:	●	7790-B5-500						
	●	7790-DGR5-500						
	○	7790-BN5-500						
	●	7790-DGR5-1000						
Beam angle:	10°	15°	24°	36°	50°	10°	15°	24°
	36°	50°	10°	15°	24°	36°	50°	
LED Color:	2700K	3000K	4000K	6000K				
Lamp Power:	COB 1x4.5W							
CRI:	90							
Lamp Lumen:	5311lm							
Material:	aluminium, glass							
Location:	Exterior							
Fixation:	Garden spot							
Installation:	Exterior							
Product dimension:	D55xL90xH500mm D55xL90xH750mm D55xL90xH1000mm							
Input:	220-240V 50/60HZ							
IP:	65							
Class:	III							
DIM Option:	DALI RGB DMX PWM RGBW							
IK:	08							





<https://uni-luce.com>

+39 339 505 5880

info@uni-luce.com

Via Monselice, 26, 20832 Desio

MB, Italy

FEBA is ideal for lighting walkways, for accentuating trees or sculptures, or for highlighting a façade or garden feature. It combines a compact cylindrical design with great agility, making FEBA a highly flexible solution with only a subtle presence. This splendid floodlight come in 3 sizes for choice. FEBA comes on a pin as standard or a pole with 500, 750 or 1000mm height. Optical accessories, lamp shade or hood, can be ordered as additional element for better light effect.