



<https://uni-luce.com>
+39 339 505 5880
info@uni-luce.com

Via Monselice, 26, 20832 Desio
MB, Italy

INTEGRA-4 S 9 FL



Available colors:	<input type="radio"/> 2420-W9
	<input checked="" type="radio"/> 2420-B9
	<input type="radio"/> 2420-GR9
	<input type="radio"/> 2420-DGR9
Beam angle:	5° 8° 10° 12° 20° 25° 30° 40° 45° 60° 10X22° 20x60°
LED Color:	3000K 4000K 6000K 5000K RGB RGBW 5700K
Lamp Power:	9W
CRI:	90
Lamp Lumen:	720lm
Material:	die-casting powder coating aluminum, glass
Location:	Exterior
Fixation:	Ground, Wall
Product dimension:	D70xL80mm
Input:	220-240V 50\60Hz
IP:	66
Class:	II
DIM Option:	ON/OFF DALI DMX
Structure:	Spot Adjust: 0~180°
IK:	08

UNI
LUCÉ



UNI
LUCÉ





<https://uni-luce.com>

+39 339 505 5880

info@uni-luce.com

Via Monselice, 26, 20832 Desio

MB, Italy

INTEGRA is a striking combination of elegance and flexibility, it allows the designer to meet the specific functional and aesthetic requirements of any project. INTRA is characterized by a pure, minimalist design that doesn't overpower its environment, its multi-zone lighting requirements in a continuous and uniform design language. Thanks to different optics and sizes, INTRA enables both precise lighting and a combination of lighter and darker zones for an effective blend of landscape, social interaction and lighting. In addition, RGB / RGBW / TURNABLE WHITE version is available for choice. INTEGRA floodlight can be installed on the ground, on the pole, on the wall. Anti-glare accessories can be added to the floodlights' for better light effect.