



<https://uni-luce.com>
+39 339 505 5880
info@uni-luce.com

Via Monselice, 26, 20832 Desio
MB, Italy

MARS FL M 19



Available colors:


- 1561-B19
- 1561-W19
- 1561-GR19
- 1561-DGR19
- 1561-B19
- 1561-DGR19
- 1561-GR19

Beam angle: 6°
LED Color: 3000K 4000K 6000K 5000K
Lamp Power: 19W
CRI: 90
Lamp Lumen: 1800lm
Material: aluminium, glass, PC
Location: Exterior
Fixation: Garden spot
Product dimension: D130 x H150mm
Input: 200-240V 50\60 Hz
IP: 65
Class: III
Structure: Rotation: 30°, Spot Adjust: 0~90°
IK: 08

UNI
LUCE



UNI
LUCE





<https://uni-luce.com>

+39 339 505 5880

info@uni-luce.com

Via Monselice, 26, 20832 Desio

MB, Italy

MARS, the luminaire head is to be installed on a pin, on a strap or on a simplified bracket. In this way, MARS can easily be transformed to install in between the green, around a tree, a pole or any other surface. To facilitate the installation of multiple MARS luminaires, a degree scale is integrated on the hinge, perfect for precise aiming and a proper repetitive light effect. MARS is presented in RGBW or mono color light.